

# Frese interrassassi

*Stoneburier  
Enfouisseur de cailloux  
Humkehrbodenfräsen  
Interradora de piedras*





# Frese interrassassi

STONEBURIER / ENFOUISSEUSE DE CAILLOUX / BODENUMKEHRFRAESE / INTERRADORA DE PIEDRAS



SB 35



SB 40



SB 60



SB 80



## SPOSTAMENTO

- GB Side shift
- F Déport latéral
- D Seitenverstellung
- E Desplazamiento lateral



## TRASMISSIONE A CATENA

- GB Side transmission by chain
- F Transmission latérale par chaîne
- D Seitlicher Kettenantrieb
- E Transmision lateral por cadena



## SEMINATRICE

- OPTION:
- GB Seeder for grass
  - F Semoir pour herbe
  - D Saemaschine für gras
  - E Sembradora para cesped



MOD.			X				
	HP	RPM	Kg.	Kg.	Cm.	N.	Cm.
SB35 85	12-20	540	220	245	A:155 / B: 198	n. 16	max 15
SB35 105	20-28	540	240	270	A: 180 / B: 222	n. 20	max 15
SB35 125	25-35	540	260	295	A: 205 / B: 246	n. 24	max 15

X: con cofano

MOD.						
	HP	RPM	Kg.	Cm.	N.	Cm.
SB40 105	24-28	540	375	A:105 / B: 130	n. 24	max 18
SB40 125	28-35	540	400	A: 125 / B: 150	n. 30	max 18
SB40 145	35-38	540	425	A: 145 / B: 170	n. 30	max 18
SB40 165	38-40	540	460	A: 165 / B: 190	n. 36	max 18

MOD.						
	HP	RPM	Kg.	Cm.	N.	Cm.
SB60 145	35-40	540	485	A:145 / B: 170	n. 36	max 20
SB60 165	40-45	540	517	A: 165 / B: 190	n. 36	max 20
SB60 185	45-50	540	550	A: 185 / B: 210	n. 42	max 20

MOD.							
	HP	RPM	Kg.	Kg.	Cm.	N.	Cm.
SB80 155	40-45	540	640	670	A:155 / B: 198	n. 36	max 23
SB80 180	50-60	540	690	720	A: 180 / B: 222	n. 42	max 23
SB80 205	60-65	540	740	770	A: 205 / B: 246	n. 48	max 23





breviglieri

Via Labriola 2 - 37054 NOGARA (Verona) - ITALY - Tel. +39 0442 537411 r.a. - Fax +39 0442 537444 - Export: Tel. +39 0442 537402  
[www.breviglieri.com](http://www.breviglieri.com) - [export@breviglieri.com](mailto:export@breviglieri.com) - [info@breviglieri.com](mailto:info@breviglieri.com)